

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	7819	heap	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/13 08:19
L2	1432	heap with process\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/13 09:10
L3	25	heap with process\$4 and node with group	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/13 08:21
L4	111	heap with process\$4 and node with (set group cluster)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/13 08:22
L5	13	heap with process\$4 and node with (set group cluster) and stor\$4 with contiguous\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/13 08:22
L6	13	heap with process\$4 and node with (set group cluster) and stor\$4 with contiguous\$4 and pointer	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/13 08:22
L7	0	heap with process\$4 and node with (set group cluster) and stor\$4 with contiguous\$4 and pointer with shar\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/13 08:22
L8	11	heap with process\$4 and node with (set group cluster) and stor\$4 with contiguous\$4 and pointer with (one single)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/13 08:23
L9	0	heap with process\$4 and node with (set group cluster) and stor\$4 with contiguous\$4 and pointer with (one same single)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/13 08:23
L10	11	heap with process\$4 and node with (set group cluster) and stor\$4 with contiguous\$4 and pointer with (one single)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/13 08:23
L11	7	heap with process\$4 and node with (set group cluster) and stor\$4 with contiguous\$4 and pointer with (one single) and insert\$4 and remov\$4 and (chang\$4 swap\$4 replac\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/13 08:33

L12	2	heap with process\$4 and node with (set group cluster) and stor\$4 with contiguous\$4 and pointer with (one single) and (add\$4 insert\$4) with (operation command) and (delet\$4 remov\$4) with (operation command) and (chang\$4 swap\$4 replac\$4) with (operation command)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/13 09:02
L13	1	heap with process\$4 and node with (set group cluster) and stor\$4 with contiguous\$4 and pointer with (one single) and (add\$3 insert\$4) with (operation command) and (delet\$4 remov\$4) with (operation command) and (chang\$4 swap\$4 replac\$4) with (operation command)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/13 08:37
L14	0	heap with process\$4 and node with (set group cluster) and stor\$4 with contiguous\$4 and pointer with (one single) and (add\$4 insert\$4) with (operation command) and (delet\$4 remov\$4) with (operation command) and (chang\$4 swap\$4 replac\$4) with (operation command) and counter	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/13 09:03
L15	5	heap with process\$4 and node with (set group cluster) and stor\$4 with contiguous\$4 and pointer with (one single) and counter	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/13 09:04
L16	4	heap with process\$4 and node with (set group cluster) and stor\$4 with contiguous\$4 and pointer with (one single) and counter with (increment\$4 and decrement\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/13 09:04
L17	0	heap with process\$4 and node with (set group cluster) and stor\$4 with contiguous\$4 and pointer with (one single) and counter with (increment\$4 and decrement\$4) and (hole "empty node")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/13 09:05
L18	4	heap with process\$4 and node with (set group cluster) and stor\$4 with contiguous\$4 and pointer with (one single) and counter with (increment\$4 and decrement\$4) and (hole (available empty free) node)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/13 09:05

L19	0	heap with process\$4 and node with (set group cluster) and stor\$4 with contiguous\$4 and pointer with (one single) and counter with (increment\$4 and decrement\$4) and (hole (available empty free) with node)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/13 09:05
L20	4	heap with process\$4 and node with (set group cluster) and stor\$4 with contiguous\$4 and pointer with (one single) and counter with (increment\$4 and decrement\$4) and unused	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/13 09:06
L21	0	heap with process\$4 and node with (set group cluster) and stor\$4 with contiguous\$4 and pointer with (one single) and counter with (increment\$4 and decrement\$4) and unused with node	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/13 09:06
L23	5	heap with process\$4 and node with (set group cluster) and stor\$4 with contiguous\$4 and counter with (increment\$4 and decrement\$4) and unused	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/13 09:07
L24	0	heap with process\$4 and node with (set group cluster) and stor\$4 with contiguous\$4 and counter with (increment\$4 and decrement\$4) and unused with node	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/13 09:07
L25	1	23 not 20	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/13 09:07
L26	53	heap with process\$4 and counter with pointer	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/13 09:10
L27	9	heap with process\$4 and counter with pointer and increment\$4 with counter and decrement\$4 with counter	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/13 09:11
L28	2	heap with process\$4 and (associat\$4 link\$4 relat\$4) with counter with pointer and increment\$4 with counter and decrement\$4 with counter	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/13 09:17

L29	0	heap with process\$4 and counter with pointer and increment\$4 with counter and decrement\$4 with counter and count\$4 with number with (hole available empty un\$used)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/13 09:19
L30	2	heap with process\$4 and counter with pointer and increment\$4 with counter and decrement\$4 with counter and count\$4 with (hole available empty un\$used)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/13 10:20
L31	5	((paul near nadj)).in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/13 10:20
L32	74	((paul near nadj) (david near carr)).in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/13 10:21
L33	74	((paul near nadj) (david near carr) (edward near funnekotter)).in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/13 10:21
L34	71	(david near carr).in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/13 10:21
L35	1	edward near funnekotter.in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/13 10:22
L36	5	paul near nadj.in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/13 10:23
L37	71	david near carr.in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/13 10:23
L38	1	edward near funnekotter.in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/13 10:23
L39	74	36 37 38	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/13 10:28
L40	0	(36 37 38) and heap	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/13 10:24

L41	7	(36 37 38) and data with structure	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/13 10:24
L42	2	(36 37 38) and node with (set group)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/13 10:27
L43	0	(36 37 38) and node with (set group) and (insert\$4 add\$4) and (remov\$4 delet\$4) and (swap\$4 exchange\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/13 10:25
L45	0	(36 37 38) and (stall\$4 pipe\$line)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/13 10:29
L46	8	(36 37 38) and (add\$4 remov\$4 delet\$4 insert\$4 swap\$4 exchang\$4) with (operation command)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/13 10:30